

# Panel mounting socket outlet angled - flange 110x110 fixing centers 90x90



Product description	
BALS-Prd.-Nr	12045
EAN	4024941120456
Product category	Panel mounting socket outlet, angled
Current	32A
Number of poles	5p
Arrangement of phases	3p+N+PE
Position of earth contact	6 h
Voltage	200/346 - 240/415V~

Product description	
Frequency	50/60Hz
Protection degree	IP44
Colour code	red RAL 3000
Colour of appliance	Hinged lid red RAL 3000, Enclosure grey RAL 7035
Connection design	with screw terminal
Maximum conductor size	10,0 qmm
Cable entry	other
Height	110mm
Width	110mm
Depth	94mm
Flange size vertical in mm	110mm
Flange size horizontal in mm	110mm
Drill hole dist. vertical mm	90mm
Drill hole dist. horizontal mm	90mm
Material of enclosure	Polyamide
Contacts	the contact carrier is made of polyamide, the contacts are brass

Additional technical information	
	The inclination is 20°

Logistics data	
Weight/pcs	0.248 kg / Piece
Packaging	Bag
Content amount	1 ST
EAN	4024941120456
Length	94 mm
Width	110 mm
Height	110 mm
Weight	0.249 kg
Volume	1,137.4 ccm
Packaging	Carton
Content amount	10 ST
EAN	4024941971300
Length	295 mm
Width	185 mm
Height	215 mm
Weight	2.644 kg
Volume	9,975 ccm