

panel mounting socket outlet, straight - flange 62x62, fixing centers 47x47

Product description	
BALS-Prd.-Nr	1357
EAN	4024941013574
Product category	Panel mounting socket outlet, straight
Current	16A
Number of poles	3p
Arrangement of phases	2P+PE
Position of earth contact	6 h
Voltage	200 - 250V~
Frequency	50/60Hz
Protection degree	IP67
Colour code	blue RAL 5015
Colour of appliance	Hinged lid blue RAL 5015, Bayonet ring grey RAL 7035, Enclosure grey RAL 7035
Connection design	with screw terminal
Maximum conductor size	4,0 qmm
Cable entry	other
Height	77mm
Width	71mm
Depth	72mm

Product description	
Flange size vertical in mm	62mm
Flange size horizontal in mm	62mm
Drill hole dist. vertical mm	47mm
Drill hole dist. horizontal mm	47mm
Material of enclosure	Polyamide
Contacts	The contact carrier is made of polyamide, The contacts are brass

Logistics data	
Weight/pcs	0.127 kg / Piece
Packaging	Bag
Content amount	1 ST
EAN	4024941013574
Length	72 mm
Width	71 mm
Height	77 mm
Volume	393.624 ccm
Packaging	Carton
Content amount	10 ST
EAN	4024941965613
Length	275 mm
Width	175 mm

Logistics data	
Height	137 mm
Volume	5,737.5 ccm