

wall mounting socket outlet, fused - housing dimensions 460x180 with fuse isolator NH 00



| Product description | |
|---------------------------|---------------------------------------|
| BALS-Prd.-Nr | 15152 |
| EAN | 4024941151528 |
| Product category | TE wall mounting socket outlet, fused |
| Current | 63A |
| Number of poles | 4p |
| Arrangement of phases | 3P+PE |
| Position of earth contact | 6 h |
| Voltage | 380 - 415V~ |

| Product description | |
|------------------------|--|
| Frequency | 50/60Hz |
| Protection degree | IP44 |
| Colour code | red RAL 3000 |
| Colour of appliance | Hinged lid red RAL 3000, Housing bottom grey RAL 7035, Housing screws grey RAL 7035, Housing top grey RAL 7035, Operating window smoky topaz |
| Connection design | screw terminal as box terminal with Kontex-contact |
| Maximum conductor size | 25.0 qmm |
| Cable entry | 1xM40 top and 1xM32/M40 bottom |
| Height | 500mm |
| Width | 180mm |
| Depth | 191mm |
| Dimension of enclosure | 460x180 mm (HxW) |
| Material of enclosure | Polycarbonate |
| Contacts | The contact carrier is made of high temperature resistant material, the contacts are brass nickel plated |

| Additional technical information | |
|----------------------------------|--|
| | The cable entry is one at top and two at bottom open |
| | with blade fuse disconnecter NH 00 |

| Logistics data | |
|----------------|----------------|
| Weight/pcs | 0.0 kg / Piece |

| Logistics data | |
|----------------|---------------|
| Packaging | Carton |
| Content amount | 1 ST |
| EAN | 4024941151528 |
| Length | 560 mm |
| Width | 215 mm |
| Height | 260 mm |
| Weight | 0.462 kg |
| Volume | 26,400 ccm |



| Ampere | 63 | 63 | | | |
|---------|--------|--------|--|--|--|
| Polzahl | 4 | 5 | | | |
| a | 180,0 | 180,0 | | | |
| b | 460,0 | 460,0 | | | |
| c | 160,0 | 160,0 | | | |
| d | 440,0 | 440,0 | | | |
| e | 182,0 | 182,0 | | | |
| f | 498,0 | 498,0 | | | |
| g ø | 8,3 | 8,3 | | | |
| h | 6,5 | 6,5 | | | |
| i | M40 | M40 | | | |
| k | M32/40 | M32/40 | | | |
| | | | | | |
| | | | | | |