

TN connector - with cable gland, with bayonet cover



| Product description | |
|---------------------------|----------------------------|
| BALS-Prd.-Nr | 310165 |
| EAN | 4024941108508 |
| Product category | QUICK-CONNECT TN connector |
| Current | 16A |
| Number of poles | 4p |
| Arrangement of phases | 3P+PE |
| Position of earth contact | 9 h |
| Voltage | 200 - 250V~ |
| Frequency | 50/60Hz |

| Product description | |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| VG-type-no.: | VG 96919 DS 020 |
| Protection degree | IP67 |
| Colour code | bronze-green RAL 6031-F9 |
| Colour of appliance | Hinged lid bronze-green RAL 6031-F9, Enclosure bronze-green RAL 6031-F9, Cable gland bronze-green RAL 6031-F9, Bayonet ring bronze-green RAL 6031-F9 |
| Connection design | screwless spring terminals with Kontex-Kontakt |
| Maximum conductor size | 2,5 qmm |
| Cable entry | with cable gland |
| Height | 162mm |
| Width | 79mm |
| Depth | 84mm |
| Material of enclosure | Polyamide |
| Contacts | The contact carrier is made of high temperature resistant material, the contacts are brass nickel plated |

| Additional technical information | |
|----------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------|
| | Multi-Grip cable gland with gasket, integrated cable clamp and additional water evacuation openings, For cable diameter from 8 up to max. 18 mm |
| | With bayonet cover on strap |

| Logistics data | |
|----------------|----------------|
| Weight/pcs | 0.0 kg / Piece |

| Logistics data | |
|----------------|---------------|
| Packaging | Bag |
| Content amount | 1 ST |
| EAN | 4024941108508 |
| Length | 84 mm |
| Width | 79 mm |
| Height | 162 mm |
| Weight | 0.001 kg |
| Volume | 1,075.032 ccm |
| Packaging | Carton |
| Content amount | 10 ST |
| EAN | 4024941839686 |
| Length | 258 mm |
| Width | 183 mm |
| Height | 212 mm |
| Weight | 0.152 kg |
| Volume | 8,750 ccm |

