

connector - with screwless terminals, for harsh applications



| Product description       |                            |
|---------------------------|----------------------------|
| BALS-Prd.-Nr              | 31245                      |
| EAN                       | 4024941312455              |
| Product category          | QUICK-CONNECT TE connector |
| Current                   | 32A                        |
| Number of poles           | 4p                         |
| Arrangement of phases     | 3P+PE                      |
| Position of earth contact | 6 h                        |
| Voltage                   | 380 - 415V~                |

| Product description    |  |
|------------------------|--|
| Frequency              | 50/60Hz  |
| Protection degree      | IP67/69  |
| Colour code            | red RAL 3000   |
| Colour of appliance    | Cable gland grey RAL 7035, Bayonet ring grey RAL 7035, Hinged lid red RAL 3000, Enclosure red RAL 3000   |
| Connection design      | screwless spring terminals with Kontex-Kontakt   |
| Maximum conductor size | 6,0 qmm  |
| Cable entry            | with cable gland   |
| Height                 | 198mm  |
| Width                  | 94mm   |
| Depth                  | 97mm   |
| Material of enclosure  | Polyamide  |
| Contacts               | The contact carrier is made of high temperature resistant material, the contacts are brass nickel plated |

| Additional technical information |  |
|----------------------------------|--|
|                                  | MULTI-GRIP cable gland with gasket, integrated cable clamp and additional water evacuation openings, For cable diameter from 11 up to max. 23,5 mm |

| Logistics data |                 |
|----------------|-----------------|
| Weight/pcs     | 0.35 kg / Piece |
| Packaging      | Bag             |

| Logistics data |               |
|----------------|---------------|
| Content amount | 1 ST          |
| EAN            | 4024941312455 |
| Length         | 98 mm         |
| Width          | 95 mm         |
| Height         | 199 mm        |
| Weight         | 0.351 kg      |
| Volume         | 1,852.69 ccm  |
| Packaging      | Carton        |
| Content amount | 10 ST         |
| EAN            | 4024941958349 |
| Length         | 325 mm        |
| Width          | 217 mm        |
| Height         | 210 mm        |
| Weight         | 3.706 kg      |
| Volume         | 13,588.4 ccm  |

