

## Plug low voltage - with cable gland for cable diameter up to 24,5 mm



Product description	
BALS-Prd.-Nr	4400
EAN	4024941044004
Product category	ELV plug
Current	63A
Number of poles	3p
Arrangement of phases	3P
Position of earth contact	12 h
Voltage	40 up to 50V

Product description	
Frequency	50/60Hz
Protection degree	IP44
Colour code	grey RAL 7035
Colour of appliance	Cable gland grey RAL 7035, Enclosure grey RAL 7035
Connection design	with screw terminal
Maximum conductor size	16,0 qmm
Cable entry	with cable gland
Height	173mm
Width	66mm
Depth	78mm
Material of enclosure	Polyamide
Contacts	the contact carrier is made of high temperature resistant material, the contacts are brass nickel plated

Additional technical information	
	For cable diameter up to max. 24,5 mm, With cable gland

Logistics data	
Weight/pcs	0.25 kg / Piece
Packaging	Bag
Content amount	1 ST

Logistics data	
EAN	4024941044004
Length	410 mm
Width	285 mm
Weight	0.251 kg
Packaging	Carton
Content amount	10 ST
EAN	4024941935661
Length	275 mm
Width	175 mm
Height	137 mm
Weight	2.625 kg
Volume	5,737.5 ccm