

## Panel mounting socket outlet straight - flange 80x80 fixing centers 54x54




Product description	
BALS-Prd.-Nr	7117
EAN	4024941071178
Product category	Domestic panel mounting socket outlet, straight, System F German standard
Current	16A
Number of poles	3p
Arrangement of phases	2P+PE
Voltage	250V~
Frequency	AC

Product description	
Protection degree	IP68
Colour code	blue RAL 5015
Colour of appliance	Enclosure blue RAL 5015, Hinged lid blue RAL 5015, Bayonet ring grey RAL 7035
Connection design	head-screw terminal
Maximum conductor size	4,0 qmm
Cable entry	other
Height	80mm
Width	80mm
Depth	60mm
Flange size vertical in mm	80mm
Flange size horizontal in mm	80mm
Drill hole dist. vertical mm	54mm
Drill hole dist. horizontal mm	54mm
Material of enclosure	Polyamide
Contacts	the contact carrier is made of high temperature resistant material, the contacts are brass nickel plated

Additional technical information	
	The connection is rear
	With hammer symbol
	With bayonet cover on strap

Logistics data	
Weight/pcs	0.136 kg / Piece
Packaging	Bag
Content amount	1 ST
EAN	4024941071178
Length	60 mm
Width	80 mm
Height	80 mm
Weight	0.137 kg
Volume	384 ccm
Packaging	Carton
Content amount	10 ST
EAN	4024941766197
Length	275 mm
Width	175 mm
Height	137 mm
Weight	1.485 kg
Volume	5,737.5 ccm



# 18 MB 20