

## Wall mounting socket outlet domestic type - housing dimensions 90x90




Product description	
BALS-Prd.-Nr	72011
EAN	4024941222402
Product category	Domestic wall mounting socket outlet, straight
Current	16A
Number of poles	3p
Arrangement of phases	2P+PE
Voltage	250V~
Frequency	AC

Product description	
Protection degree	IP44
Colour of appliance	white similar to RAL 9016
Connection design	screwless
Maximum conductor size	2,5 qmm
Cable entry	Anti-kink sleeve
Height	90mm
Width	90mm
Depth	95mm
Dimension of enclosure	90x90 mm
Material of enclosure	ABS + Polycarbonate
Contacts	the contacts are brass nickel plated

Additional technical information	
	Architecture programme TH, hinged lid with labelling field (optional: key lock), The cable entry is one at top open and one at bottom and one rear side closed, With earth contact Belgian/French standard

Logistics data	
Weight/pcs	0.245 kg / Piece
Packaging	Bag
Content amount	1 ST
EAN	4024941222402
Length	95 mm

Logistics data	
Width	90 mm
Height	90 mm
Weight	0.246 kg
Volume	769.5 ccm
Packaging	Carton
Content amount	6 ST
EAN	4024941222679
Length	370 mm
Width	218 mm
Height	125 mm
Weight	1.643 kg
Volume	9,329.4 ccm



Ampere Poles	16 3	16 4	16 5	32 5	Schutzk. Domestic
a	90,0	90,0	90,0	90,0	90,0
b	90,0	90,0	90,0	90,0	90,0
c	73,0	73,0	73,0	73,0	73,0
d	73,0	73,0	73,0	73,0	73,0
e	47,0	47,0	47,0	47,0	47,0
f	48,0	48,0	48,0	48,0	48,0
g	25,0	25,0	25,0	25,0	25,0
Cond. mm <sup>2</sup> min.	1,0	1,0	1,0	2,5	1,0
Cond. mm <sup>2</sup> max.	4,0	4,0	4,0	10	2,5

4MB463