

Wall mounting socket outlet domestic type - housing dimensions 66x54



Product description	
BALS-Prd.-Nr	725
EAN	4024941007252
Product category	Domestic wall mounting socket outlet, straight
Current	16A
Number of poles	3p
Arrangement of phases	2P+PE
Voltage	250V~
Frequency	AC

Product description	
Protection degree	IP44
Colour code	grey RAL 7035
Colour of appliance	Hinged lid grey RAL 7035, Housing bottom grey RAL 7035, anti-kink sleeve grey RAL 7035, Enclosure grey RAL 7035
Connection design	head-screw terminal
Maximum conductor size	4,0 qmm
Cable entry	Anti-kink sleeve
Height	66mm
Width	54mm
Depth	56.5mm
Dimension of enclosure	66x54 mm (HxW)
Material of enclosure	Polyamide
Contacts	the contact carrier is made of polyamide, the contacts are brass nickel plated

Additional technical information	
	The cable entry one at top and one at bottom with a grommet closed, one cable entry one rear sided closed, The connection is on the side

Logistics data	
Weight/pcs	0.08 kg / Piece
Packaging	Bag
Content amount	1 ST

Logistics data	
EAN	4024941007252
Length	56.5 mm
Width	54 mm
Height	66 mm
Weight	0.081 kg
Volume	201.366 ccm
Packaging	Carton
Content amount	20 ST
EAN	4024941974974
Length	245 mm
Width	177 mm
Height	185 mm
Weight	1.733 kg
Volume	7,140 ccm

