

## Domestic connector TN - with cover and strap, Belgian/French standard



Product description	
BALS-Prd.-Nr	7424
EAN	4024941074247
product category (PG)	TN domestic connector
current (A)	16A
number of poles (P99)	3p
number of poles (P)	2P+PE
voltage (V)	250V
frequency (HZ)	alternating current (AC)

Product description	
protection degree (SA)	IP68
colour code 1 (KF1)	bronze-green RAL 6031-F9
Colour of appliance	Cable gland bronze-green RAL 6031-F9, Bayonet ring bronze-green RAL 6031-F9, Hinged lid bronze-green RAL 6031-F9, Enclosure bronze-green RAL 6031-F9
connection design (AT)	head-screw terminal
maximum conductor size (LQ)	2,5 qmm
cable entry (KE)	Cable gland
Height	130mm
Width	66mm
Depth	75mm
material of enclosure (GM)	Polyamide
contact	The contact carrier is made of polyamide, the contacts are brass nickel plated

Additional technical information	
	With earth contact Belgian/French standard
	For cable diameter up to max. 18.0 mm, With cable gland
	With bayonet cover on strap

Logistics data	
Weight/pcs	0.15 kg / Piece
Packaging	Bag

Logistics data	
Content amount	1 ST
EAN	4024941074247
Length	75 mm
Width	66 mm
Height	130 mm
Weight	0.151 kg
Volume	643.5 ccm
Packaging	Carton
Content amount	10 ST
EAN	4024941840224
Length	275 mm
Width	175 mm
Height	137 mm
Weight	1.625 kg
Volume	5,737.5 ccm

