# TN domestic-type panel mounting appliance inlet, straight - flange 75x75, with closure cap

| Product description | |
|---|---|
| BALS-Prd.-Nr | 753 |
| EAN | 4024941007535 |
| Product category | TN schuko-type panel mounting appliance inlet, straight |
| Current | 16A |
| Number of poles | 3p |
| Arangement of phases | 2P+PE |
| Voltage | 250V~ |
| Frequency | AC |

**Bals Elektrotechnik GmbH & Co. KG** D-57399 Kirchhundem - Albaum
phone: +49(0)2723/771-0 / fax: +49(0)2723/771-177 / email: info@bals.com

| Product description | |
|---|---|
| VG-type-no.: | VG 96926 AP 001 |
| Supply no.: | 5935-12-340-7272 |
| Protection degree | IP67 |
| Colour code | bronze-green RAL 6031-F9 |
| Colour of appliance | Enclosure bronze-green RAL 6031-F9 |
| Connection design | with screw terminal |
| Maximum conductor size | 4,0 qmm |
| Cable entry | other |
| Height | 75mm |
| Width | 75mm |
| Depth | 91mm |
| Flange size vertical in mm | 75mm |
| Flange size horizontal in mm | 75mm |
| Drill hole dist. vertical mm | 60mm |
| Drill hole dist. horizontal mm | 60mm |
| Material of enclosure | plastic |
| Contacts | The contact carrier is made of high temperature resistant material, the contacts are brass nickel plated |

| Additional technical information | |
|---|---|
| | also suitable for Belgian/French standard |
| | With closure cap |

**Bals Elektrotechnik GmbH & Co. KG** D-57399 Kirchhundem - Albaum
phone: +49(0)2723/771-0 / fax: +49(0)2723/771-177 / email: info@bals.com

| Logistics data | |
|---|---|
| Weight/pcs | 0.14 kg / Piece |
| Packaging | Bag |
| Content amount | 1 ST |
| EAN | 4024941007535 |
| Length | 91 mm |
| Width | 75 mm |
| Height | 75 mm |
| Weight | 0.141 kg |
| Volume | 511.875 ccm |
| Packaging | Carton |
| Content amount | 10 ST |
| EAN | 4024941840200 |
| Length | 245 mm |
| Width | 177 mm |
| Height | 185 mm |
| Weight | 1.533 kg |
| Volume | 7,140 ccm |

**Bals Elektrotechnik GmbH & Co. KG** D-57399 Kirchhundem - Albaum
phone: +49(0)2723/771-0 / fax: +49(0)2723/771-177 / email: info@bals.com




18 MB 16

**Bals Elektrotechnik GmbH & Co. KG** D-57399 Kirchhundem - Albaum
phone: +49(0)2723/771-0 / fax: +49(0)2723/771-177 / email: info@bals.com